




BOURQUI
Fabricant en creto ses mécaniques



D=M6 6h/6H
H=10

ENTRETOISES FEMELLE/FEMELLE


SPACERS FEMALE/FEMALE

A = Acier zingué (11SMmpb37)(1.0737)(Zn3-5 B)

Mild steel zinc plated

L(±0,10)	D 6h/6H	H	Y (mini)	Z (maxi)	ACIER	Ref. Accel
10	M6	10	10	10	FA60100-10	ENMET17LG10
12	M6	10	12	12	FA60100-12	ENMET17LG12
15	M6	10	15	15	FA60100-15	ENMET17LG15
18	M6	10	18	18	FA60100-18	ENMET17LG18
20	M6	10	20	20	FA60100-20	ENMET17LG20
25	M6	10	25	25	FA60100-25	ENMET17LG25
30	M6	10	13	30	FA60100-30	ENMET17LG30
35	M6	10	13	35	FA60100-35	ENMET17LG35
40	M6	10	13	40	FA60100-40	ENMET17LG40
45	M6	10	13	18	FA60100-45	ENMET17LG45
50	M6	10	13	18	FA60100-50	ENMET17LG50
55	M6	10	13	18	FA60100-55	ENMET17LG55
60	M6	10	13	18	FA60100-60	ENMET17LG60
70	M6	10	13	18	FA60100-70	ENMET17LG70
80	M6	10	13	18	FA60100-80	ENMET17LG80

Pour les longueurs intermédiaires ou toutes autres demandes, nous consulter



D=M8 6h/6H

H=13

A = Acier zingué (11SMmpb37)(1.0737)(Zn3-5 B)


Mild steel zinc plated

ENTRETOISES FEMELLE/FEMELLE

SPACERS FEMALE/FEMALE

L(±0,10)	D 6h/6H	H	Y (mini)	Z (maxi)	ACIER	Ref. Accel
15	M8	13	15	15	FA80130-15	ENMET80LG15
18	M8	13	18	18	FA80130-18	ENMET80LG18
20	M8	13	20	20	FA80130-20	ENMET80LG20
25	M8	13	25	25	FA80130-25	ENMET80LG25
30	M8	13	30	30	FA80130-30	ENMET80LG30
35	M8	13	15	35	FA80130-35	ENMET80LG35
40	M8	13	15	40	FA80130-40	ENMET80LG40
50	M8	13	15	20	FA80130-50	ENMET80LG50
60	M8	13	15	20	FA80130-60	ENMET80LG60
70	M8	13	15	20	FA80130-70	ENMET80LG70
80	M8	13	15	20	FA80130-80	ENMET80LG80

Pour les longueurs intermédiaires ou toutes autres demandes, nous consulter



D=M2,5 6h/6H

H=5

L = Laiton nickelé (CuZn39Pb3)(CW614N)(Ni3-5)

Brass nickel plated

A = Acier zingué (11SMmpb37)(1.0737)(Zn3-5 B)


Mild steel zinc plated

ENTRETOISES FEMELLE/FEMELLE

SPACERS FEMALE/FEMALE

L(±0,10)	D 6h/6H	H	Y (mini)	Z (maxi)	LAITON	Ref. Accel	ACIER	Ref. Accel
5	M2,5	5	5	5	FL2550-05	ENMET19LG05	FA2550-05	ENMET25LG05
8	M2,5	5	8	8	FL2550-08	ENMET19LG08	FA2550-08	ENMET25LG08
10	M2,5	5	10	10	FL2550-10	ENMET19LG10	FA2550-10	ENMET25LG10
12	M2,5	5	12	12	FL2550-12	ENMET19LG12	FA2550-12	ENMET25LG12
15	M2,5	5	15	15	FL2550-15	ENMET19LG15	FA2550-15	ENMET25LG15
18	M2,5	5	18	18	FL2550-18	ENMET19LG18	FA2550-18	ENMET25LG18
20	M2,5	5	20	20	FL2550-20	ENMET19LG20	FA2550-20	ENMET25LG20
25	M2,5	5	10	25	FL2550-25	ENMET19LG25	FA2550-25	ENMET25LG25
30	M2,5	5	10	30	FL2550-30	ENMET19LG30	FA2550-30	ENMET25LG30
35	M2,5	5	10	15	FL2550-35	ENMET19LG35	FA2550-35	ENMET25LG35
40	M2,5	5	10	15	FL2550-40	ENMET19LG40	FA2550-40	ENMET25LG40
45	M2,5	5	10	15	FL2550-45	ENMET19LG45	FA2550-45	ENMET25LG45

Pour les longueurs intermédiaires ou toutes autres demandes, nous consulter



D=M3 6h/6H

H=5

L = Laiton nickelé (CuZn39Pb3)(CW614N)(Ni3-5)

Brass nickel plated

A = Acier zingué (11SMmpb37)(1.0737)(Zn3-5 B)

Mild steel zinc plated

ENTRETOISES FEMELLE/FEMELLE


SPACERS FEMALE/FEMALE

L(±0,10)	D 6h/6H	H	Y (mini)	Z (maxi)	LAITON	Ref.Accel	ACIER	Ref.Accel
5	M3	5	5	5	FL3050-05	ENMET2LG05	FA3050-05	ENMET6LG05
8	M3	5	8	8	FL3050-08	ENMET2LG08	FA3050-08	ENMET6LG08
10	M3	5	10	10	FL3050-10	ENMET2LG10	FA3050-10	ENMET6LG10
12	M3	5	12	12	FL3050-12	ENMET2LG12	FA3050-12	ENMET6LG12
15	M3	5	15	15	FL3050-15	ENMET2LG15	FA3050-15	ENMET6LG15
18	M3	5	18	18	FL3050-18	ENMET2LG18	FA3050-18	ENMET6LG18
20	M3	5	20	20	FL3050-20	ENMET2LG20	FA3050-20	ENMET6LG20
25	M3	5	10	25	FL3050-25	ENMET2LG25	FA3050-25	ENMET6LG25
30	M3	5	10	30	FL3050-30	ENMET2LG30	FA3050-30	ENMET6LG30
35	M3	5	10	15	FL3050-35	ENMET2LG35	FA3050-35	ENMET6LG35
40	M3	5	10	15	FL3050-40	ENMET2LG40	FA3050-40	ENMET6LG40
45	M3	5	10	15	FL3050-45	ENMET2LG45	FA3050-45	ENMET6LG45
50	M3	5	10	15	FL3050-50	ENMET2LG50	FA3050-50	ENMET6LG50
55	M3	5	10	15	FL3050-55	ENMET2LG55	FA3050-55	ENMET6LG55
60	M3	5	10	15	FL3050-60	ENMET2LG60	FA3050-60	ENMET6LG60
70	M3	5	10	15	FL3050-70	ENMET2LG70	FA3050-70	ENMET6LG70
80	M3	5	10	15	FL3050-80	ENMET2LG80	FA3050-80	ENMET6LG80

Pour les longueurs intermédiaires ou toutes autres demandes, nous consulter



BOURQUI
Fabricant entretoises mécaniques



D=M5 6h/6H

H=8

ENTRETOISES FEMELLE/FEMELLE

SPACERS FEMALE/FEMALE

L = Laiton nickelé (CuZn39Pb3)(CW614N)(Ni3-5)


Brass nickel plated

A = Acier zingué (11SMmpb37)(1.0737)(Zn3-5 B)

Mild steel zinc plated

L(±0,10)	D 6h/6H	H	Y (mini)	Z (maxi)	LAITON	Ref. Accel	ACIER	Ref. Accel
5	M5	8	5	5	FL5080-05	ENMET20LG05	FA5080-05	ENMET8LG05
8	M5	8	8	8	FL5080-08	ENMET20LG08	FA5080-08	ENMET8LG08
10	M5	8	10	10	FL5080-10	ENMET20LG10	FA5080-10	ENMET8LG10
12	M5	8	12	12	FL5080-12	ENMET20LG12	FA5080-12	ENMET8L12
15	M5	8	15	15	FL5080-15	ENMET20LG15	FA5080-15	ENMET8LG15
18	M5	8	18	18	FL5080-18	ENMET20LG18	FA5080-18	ENMET8LG18
20	M5	8	20	20	FL5080-20	ENMET20LG20	FA5080-20	ENMET8LG20
25	M5	8	10	25	FL5080-25	ENMET20LG25	FA5080-25	ENMET8LG25
30	M5	8	10	30	FL5080-30	ENMET20LG30	FA5080-30	ENMET8LG30
35	M5	8	10	15	FL5080-35	ENMET20LG35	FA5080-35	ENMET8LG35
40	M5	8	10	15	FL5080-40	ENMET20LG40	FA5080-40	ENMET8LG40
45	M5	8	10	15	FL5080-45	ENMET20LG45	FA5080-45	ENMET8LG45
50	M5	8	10	15	FL5080-50	ENMET20LG50	FA5080-50	ENMET8LG50
55	M5	8	10	15	FL5080-55	ENMET20LG55	FA5080-55	ENMET8LG55
60	M5	8	10	15	FL5080-60	ENMET20LG60	FA5080-60	ENMET8LG60
70	M5	8	10	15	FL5080-70	ENMET20LG70	FA5080-70	ENMET8LG70
80	M5	8	10	15	FL5080-80	ENMET20LG80	FA5080-80	ENMET8LG80

Pour les longueurs intermédiaires ou toutes autres demandes, nous consulter



D=M3 6h/6H

H=5,5

ENTRETOISES FEMELLE/FEMELLE

SPACERS FEMALE/FEMALE

L = Laiton nickelé (CuZn39Pb3)(CW614N)(Ni3-5)

Brass nickel plated

A = Acier zingué (11SMmpb37)(1.0737)(Zn3-5 B)


Mild steel zinc plated

I = Inox X8crNiS18-9(303)

Stainless steel

L(±0,10)	D 6h/6H	H	Y (mini)	Z (maxi)	LAITON	Ref. Accel	ACIER	Ref. Accel	INOX	Ref. Accel
5	M3	5,50	5	5	FL3055-05	ENMET15LG05	FA3055-05	ENMET16LG05	FI3055-05	ENMET12LG05
8	M3	5,50	8	8	FL3055-08	ENMET15LG08	FA3055-08	ENMET16LG08	FI3055-08	ENMET12LG08
10	M3	5,50	10	10	FL3055-10	ENMET15LG10	FA3055-10	ENMET16LG10	FI3055-10	ENMET12LG10
12	M3	5,50	12	12	FL3055-12	ENMET15LG12	FA3055-12	ENMET16LG12	FI3055-12	ENMET12LG12
15	M3	5,50	15	15	FL3055-15	ENMET15LG15	FA3055-15	ENMET16LG15	FI3055-15	ENMET12LG15
18	M3	5,50	18	18	FL3055-18	ENMET15LG18	FA3055-18	ENMET16LG18	FI3055-18	ENMET12LG18
20	M3	5,50	20	20	FL3055-20	ENMET15LG20	FA3055-20	ENMET16LG20	FI3055-20	ENMET12LG20
25	M3	5,50	10	25	FL3055-25	ENMET15LG25	FA3055-25	ENMET16LG25	FI3055-25	ENMET12LG25
30	M3	5,50	10	30	FL3055-30	ENMET15LG30	FA3055-30	ENMET16LG30	FI3055-30	ENMET12LG30
35	M3	5,50	10	15	FL3055-35	ENMET15LG35	FA3055-35	ENMET16LG35	FI3055-35	ENMET12LG35
40	M3	5,50	10	15	FL3055-40	ENMET15LG40	FA3055-40	ENMET16LG40	FI3055-40	ENMET12LG40
45	M3	5,50	10	15	FL3055-45	ENMET15LG45	FA3055-45	ENMET16LG45	FI3055-45	ENMET12LG45
50	M3	5,50	10	15	FL3055-50	ENMET15LG50	FA3055-50	ENMET16LG50	FI3055-50	ENMET12LG50
55	M3	5,50	10	15	FL3055-55	ENMET15LG55	FA3055-55	ENMET16LG55	FI3055-55	ENMET12LG55
60	M3	5,50	10	15	FL3055-60	ENMET15LG60	FA3055-60	ENMET16LG60	FI3055-60	ENMET12LG60
70	M3	5,50	10	15	FL3055-70	ENMET15LG70	FA3055-70	ENMET16LG70	FI3055-70	ENMET12LG70
80	M3	5,50	10	15	FL3055-80	ENMET15LG80	FA3055-80	ENMET16LG80	FI3055-80	ENMET12LG80

Pour les longueurs intermédiaires ou toutes autres demandes, nous consulter



D=M4 6h/6H

H=7

L = Laiton nickelé (CuZn39Pb3)(CW614N)(Ni3-5)

Brass nickel plated

A = Acier zingué (11SMmpb37)(1.0737)(Zn3-5 B)

Mild steel zinc plated

I = Inox X8crNiS18-9(303)

Stainless steel

ENTRETOISES FEMELLE/FEMELLE


SPACERS FEMALE/FEMALE

L(±0,10)	D 6h/6	H	Y (mini)	Z (maxi)	LAITON	Ref.Accel	ACIER	Ref.Accel	INOX	Ref.Accel
5	M4	7	5	5	FL4070-05	ENMET4LG05	FA4070-05	ENMET7LG05	FI4070-05	ENMET13LG05
8	M4	7	8	8	FL4070-08	ENMET4LG08	FA4070-08	ENMET7LG08	FI4070-08	ENMET13LG08
10	M4	7	10	10	FL4070-10	ENMET4LG10	FA4070-10	ENMET7LG10	FI4070-10	ENMET13LG10
12	M4	7	12	12	FL4070-12	ENMET4LG12	FA4070-12	ENMET7LG12	FI4070-12	ENMET13LG12
15	M4	7	15	15	FL4070-15	ENMET4LG15	FA4070-15	ENMET7LG15	FI4070-15	ENMET13LG15
18	M4	7	18	18	FL4070-18	ENMET4LG18	FA4070-18	ENMET7LG18	FI4070-18	ENMET13LG18
20	M4	7	20	20	FL4070-20	ENMET4LG20	FA4070-20	ENMET7LG20	FI4070-20	ENMET13LG20
25	M4	7	10	25	FL4070-25	ENMET4LG25	FA4070-25	ENMET7LG25	FI4070-25	ENMET13LG25
30	M4	7	10	30	FL4070-30	ENMET4LG30	FA4070-30	ENMET7LG30	FI4070-30	ENMET13LG30
35	M4	7	10	15	FL4070-35	ENMET4LG35	FA4070-35	ENMET7LG35	FI4070-35	ENMET13LG35
40	M4	7	10	15	FL4070-40	ENMET4LG40	FA4070-40	ENMET7LG40	FI4070-40	ENMET13LG40
45	M4	7	10	15	FL4070-45	ENMET4LG45	FA4070-45	ENMET7LG45	FI4070-45	ENMET13LG45
50	M4	7	10	15	FL4070-50	ENMET4LG50	FA4070-50	ENMET7LG50	FI4070-50	ENMET13LG50
55	M4	7	10	15	FL4070-55	ENMET4LG55	FA4070-55	ENMET7LG55	FI4070-55	ENMET13LG55
60	M4	7	10	15	FL4070-60	ENMET4LG60	FA4070-60	ENMET7LG60	FI4070-60	ENMET13LG60
65	M4	7	10	15	FL4070-65	ENMET4LG65	FA4070-65	ENMET7LG65	FI4070-65	ENMET13LG65
70	M4	7	10	15	FL4070-70	ENMET4LG70	FA4070-70	ENMET7LG70	FI4070-70	ENMET13LG70
75	M4	7	10	15	FL4070-75	ENMET4LG75	FA4070-75	ENMET7LG75	FI4070-75	ENMET13LG75
80	M4	7	10	15	FL4070-80	ENMET4LG80	FA4070-80	ENMET7LG80	FI4070-80	ENMET13LG80

Pour les longueurs intermédiaires ou toutes autres demandes, nous consulter



BOURQUI
Fabricant entretoises mécaniques



D=M2 6h/6H

H=4

L = Laiton nickelé (CuZn39Pb3)(CW614N)(Ni3-5)

Brass nickel plated

ENTRETOISES FEMELLE/FEMELLE

SPACERS FEMALE/FEMALE

L(±0,10)	D 6h/6H	H	Y (mini)	Z (maxi)	LAITON	Ref. Accel
5	M2	4	5	5	FL2040-05	ENMET1LG05
8	M2	4	8	8	FL2040-08	ENMET1LG08
10	M2	4	10	10	FL2040-10	ENMET1LG10
12	M2	4	12	12	FL2040-12	ENMET1LG12
15	M2	4	15	15	FL2040-15	ENMET1LG15
18	M2	4	18	18	FL2040-18	ENMET1LG18
20	M2	4	20	20	FL2040-20	ENMET1LG20
25	M2	4	8	25	FL2040-25	ENMET1LG25
30	M2	4	8	13	FL2040-30	ENMET1LG30
35	M2	4	8	13	FL2040-35	ENMET1LG35
40	M2	4	8	13	FL2040-40	ENMET1LG40
45	M2	4	8	13	FL2040-45	ENMET1LG45

Pour les longueurs intermédiaires ou toutes autres demandes, nous consulter